

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Exadia Herbicide Product Use:

Restriction of Use: Refer to Section 15

New Zealand Supplier: **Adria Crop Protection Solutions**

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 +64 9 412 9807 Fax: www.adria.nz Website:

0800 734 607 (24hr)3 **Emergency No:**

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 22 August 2018

Hazards Identification Section 2.

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: HSR101180

Pictograms







Irritant

Chronic

Ecotoxic

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.7B	H351	Suspected of causing cancer.	Carc. 2
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2
9.1A	H400	Very toxic to aquatic life.	Aquatic Acute 1
9.2A	H421	Very toxic to the soil environment.	
9.3C	H433	Harmful to terrestrial vertebrates.	

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018

Tel: 64 9 475 5240 www.techcomp.co.nz

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Oxadiazon	38%	19666-30-9
Not hazardous	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin. Wash affected areas with soap and water. If skin irritation occurs: Get

medical advice/attention.

If Swallowed Do NOT induce vomiting if swallowed. For advice, contact the National

Poisons Centre on 0800 POISON (0800 764766) or seek medical attention

immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Not applicable. **Inhalation:** Not applicable.

Skin: Causes mild skin irritation. **Eye:** Causes serious eye irritation.

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Chronic: Suspected of causing cancer. May cause damage to organs through

prolonged or repeated exposure.

Treatment: Treat according to symptoms (decontamination, vital functions). No known

specific antidote.

Section 5. Fire Fighting Measures

Hazard Type	This product is non-flammable.
Hazards from	Carbon and nitrogen oxides.
combustion	
products	
Suitable	Dry chemical, water spray, foam, carbon dioxide.
Extinguishing	
media	
Recommended	Wear SCBA and chemical-protective clothing.
protective clothing	
& Precautions for	
firefighters	
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before re-use.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Precautions for Handling:

- Keep out of reach of children.
- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Do not breathe fumes, vapours or spray.
- Wash hands thoroughly after handling.
- Ventilation required.
- Keep away from sparks, open flames and direct sunlight.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Use personal protective equipment as required.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Protect against freezing.

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls / Industrial Hygiene

Ensure there is sufficient ventilation of the area.

Personal Protection Equipment



	Safety goggles with side-shields.
Eyes	
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber gloves with a minimum thickness of 0.4 mm.
Skin	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use and wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Liquid, Suspension Concentrate
Colour	Cream
Odour	Characteristic odour
Odour Threshold	Not available
pH	6.5 - 8.5
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Density	+/- 1.04
Water Solubility	Not available
Partition Coefficient:	Not available
Ignition Temperature	Not available
Decomposition	Not available
Temperature	
Viscosity	Not available
Particle Characteristics	Not available

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 22 August 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	None known.
reactions	
Conditions to Avoid	Temperature extremes.
Incompatible Materials	Oxidizing agents, acids and alkali.
Hazardous Decomposition	Carbon and nitrogen oxides.
Products	

Toxicological Information Section 11

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye irritation.
Skin	Causes mild skin irritation.

Chronic Effects:

Cili Offic Effectsi		
Carcinogenicity	Suspected of causing cancer.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	May cause damage to organs through prolonged or repeated	
	exposure	

Acute Toxicity -

Chemical Name	LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
Oxadiazon (19666-30-9)	>4000mg/kg (Rats)	>2000mg/kg (Rats)	LC50 for rats > 2.77 mg/l (tech)particles/l air

Section 12. Ecotoxicological Information

Ecological effects information	9.1A = Very toxic to aquatic life.
	9.2A = Very toxic to the soil environment.
	9.3C = Harmful to terrestrial vertebrates.
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	DT50: 90-180 days (tech)
Other adverse effects	No data available
Acute fish toxicity:	LC50 (96 h) for rainbow trout: 1.2 mg/L (tech)
Toxicity for daphnia:	No data available
Toxicity to algae:	No data available
Precautions:	Do not allow to enter waterways.

Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz Product Name: Exadia

Date of SDS: 22 August 2018

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	
	N.O.S. (Contains Oxadiazon 38%)	
Marine Pollutant	Yes	
Special Provisions-	If the product's individual container is below 5L/kg, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
_	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR101180

HSNO Classification: 6.3B, 6.4A, 6.7B, 6.9B, 9.1A, 9.2A, 9.3C

HSW (HS) Regulations 2017	Trigger Quantity		
Certified Handlers	Not required		
Location Certificate	Not required		
Signage Trigger Quantities (Schedule 3)	100L (9.1A)		
Emergency Response Plan (Schedule 5)	100L (9.1A)		
Secondary Containment (Schedule 5)	100L (9.1A)		
Tracking (Schedule 26)	Not required		
For all further controls	Refer to EPA <u>www.epa.govt.nz</u> for controls		
	document - HSR101180		
HSNO Additional Controls (Restrictions of use)			
77A	a). This substance must not be applied into		
	or onto water [1]		

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Page 6

physical forms, whether flowing or not, and whether over or under ground, but does not include water in any form while in a pipe, tank or cistern or water used in the dilution of the substance prior to application or water used to rinse the container after use. b). The following statement, or words to the same effect, must appear on the product label and documentation supplied with Exadia: (i)This substance must not be applied into or onto water This substance must be applied via ground-based methods only (ii). This substance shall be applied via ground-based application methods only. c). This substance must be applied via ground-based methods only [2] [2] Ground-based methods of applying pesticides include, but are not limited to,
application by ground boom, airblast or knapsack, and do not include aerial application methods.
Equipment for class 9 substances must be appropriate
Records of application of class 9 pesticides and plant growth regulators
Site and storage controls for class 9 substances
Qualifications required for application of class 9 pesticides.
•
P9336

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Page 7

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 22 August 2018 Review Date: 22 August 2023

Product Name: Exadia Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz